



Unleashing Colours, Brightening Lives



Herмоса Eggshell Enamel

Technical Data Sheet



Hermosa Eggshell Enamel

Technical Data Sheet



General Product Description

Hermosa Eggshell Enamel is a semi-gloss alkyd based finish. It is washable and resistant to dirt. It is ideal for walls and ceilings in high traffic areas such as corridors, reception areas, canteens, where exceptional resistance to wear and dirt is required. It can be applied on suitably primed woodwork and metalwork where a fashionable sheen finish is desirable.

Product Information

Technical Data	
Finish	Semi-Gloss.
Application:	Apply by brush, roller or airless spray.
Thinning	Thin with Hermosa White Spirit for ease of application. Thinning ratio is 10-20%. Avoid overthinning to get good hiding power and prevent sagging.
Drying Times	Touch dry 4hours. Re-coatable after 16 hours.
Spreading Capacity per Coat	13-15 m ² /L when applied on a smooth surface.
Equipment Cleaner	Hermosa White Spirit.
Color range	Available in a wide range of colours.
Surface preparation	Surfaces should be clean, dry and free from any loose and flaky materials. Apply one coat of Hermosa universal undercoat. Apply 1-2 coats of Hermosa eggshell enamel paint. Allow to dry overnight between each coat.
Previously Painted Walls	Make sure the surface is clean, dry and free from any loose and flaky materials. In case of loose surfaces, apply one coat of appropriate primer. Apply one coat of Hermosa universal undercoat. Apply 1-2 coats of Hermosa Eggshell enamel paint. Allow to dry overnight between each coat.
Pack sizes	1ltr, 4 ltrs, 20 ltrs
Storage	Store in a cool dry place at average room temperatures.

Hermosa Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.
📱 Mobile: 0794 899 999
🗨 Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com
📍 Location : HighPort Properties, Road C Industrial area.
🌐 Website: www.hermosapaints.com




Hermosa Eggshell Enamel

Technical Data Sheet



Disclaimer

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by Hermosa paints. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Hermosa paints representative to obtain the most recent Product Data Information



Hermosa Paints Limited

📍 P.O Box: 78895-00507, Nairobi Kenya.
📞 Mobile: 0794 899 999
📞 Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com
📍 Location : HighPort Properties, Road C Industrial area.
🌐 Website: www.hermosapaints.com



Unleashing Colours, Brightening Lives

Hermosa Paints Limited

- ✉ P.O Box: 78895-00507, Nairobi Kenya.
- 📞 Mobile: 0794 899 999
- 📞 Customer care: 0759 111 333
- ✉ Email: sales@hermosapaints.com
- 📍 Location : HighPort Properties,
Road C Industrial area.
- 🌐 Website: www.hermosapaints.com

