



# HERMOSA PAINTS

*Unleashing Colours, Brightening Lives*



## Hermosa Vinyl Matt Emulsion

Technical Data Sheet



[www.hermosapaints.com](http://www.hermosapaints.com)

# Hermosa Vinyl Matt Emulsion

Technical Data Sheet



## General Product Description

Hermosa Vinyl Matt Emulsion paint is based on acrylic resin with a smooth hard-wearing matt finish. Hermosa Vinyl Matt can be used on interior and exterior walls and ceilings, new and old.

## Features & Benefits

- highly durable matt finish
- Easy to apply and maintain
- Environmentally friendly
- High scrub resistance
- Low VOC

## Product Information

### Technical Data

Finish	Matt
Spread Rate per coat	12-13 m <sup>2</sup> /l when applied on a smooth plaster
Drying time	Surface dry 1 hour, hard dry 4 hours
Application Tools	By Brush, Rollers, airless Spray
Thinning	Thin with 20-25% clean water upto water if applied by brush or roller. If applied by spray, more water may be needed to adjust to sprayable viscosity.
Color Range	Available in a wide of color. Special colors can be made on request.
Cleaning	Clean equipment with water immediately after use
Pack sizes	1ltr, 4 ltrs, 20 ltrs
Technical Assistance	If in doubt please contact our Technical department
Surface preparation	<ul style="list-style-type: none"><li>• Remove any loose and flaking materials, repair cracks and level the surface.</li><li>• Clean walls and ceilings, ensure they are dry and free from dust.</li><li>• Apply 1 coat of Hermosa Acrylic Sealer Undercoat and 2 coats of Hermosa Vinyl Matt emulsion.</li></ul>
Application	<ul style="list-style-type: none"><li>• Stir thoroughly before and during use</li><li>• Always use good quality brush or roller</li><li>• Try to paint in one motion when using a brush</li><li>• Always pre test on a small area first</li></ul>
Storage	Store in a cool dry place at average room temperatures.

### Hermosa Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.  
📱 Mobile: 0794 899 999  
🗨 Customer care: 0759 111 333

✉ Email: [sales@hermosapaints.com](mailto:sales@hermosapaints.com)  
📍 Location : HighPort Properties, Road C Industrial area.  
🌐 Website: [www.hermosapaints.com](http://www.hermosapaints.com)



# Herмоса Vinyl Matt Emulsion

Technical Data Sheet



## Disclaimer

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by Herмоса paints. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Herмоса paints representative to obtain the most recent Product Data Information



### Herмоса Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.  
📞 Mobile: 0794 899 999  
🗨 Customer care: 0759 111 333

✉ Email: [sales@hermosapaints.com](mailto:sales@hermosapaints.com)  
📍 Location : HighPort Properties, Road C Industrial area.  
🌐 Website: [www.hermosapaints.com](http://www.hermosapaints.com)



# *Unleashing Colours, Brightening Lives*

## **Hermosa Paints Limited**

- ✉ P.O Box: 78895-00507, Nairobi Kenya.
- 📞 Mobile: 0794 899 999
- 📞 Customer care: 0759 111 333
- ✉ Email: [sales@hermosapaints.com](mailto:sales@hermosapaints.com)
- 📍 Location : HighPort Properties,  
Road C Industrial area.
- 🌐 Website: [www.hermosapaints.com](http://www.hermosapaints.com)

