



*Unleashing Colours, Brightening Lives*



## HERMOSA Roof Paint

Technical Data Sheet



# Hermosa ROOF PAINT

Technical Data Sheet



## General Product Description

Hermosa Roof Paint is based on alkyd and light fast pigment to enhance durability. It is suitable for galvanized roof, exposed iron and steel structure giving them maximum protection.

## Product Information

### Technical Data

<b>Finish</b>	Semi-gloss.
<b>Application</b>	By brush or airless spray.
<b>Color</b>	Available in a range of colors
<b>Thinning and Mixing</b>	Thin with Hermosa White Spirit.
<b>Equipment cleaning</b>	Clean the equipment immediately after use with Hermosa white spirit.
<b>Drying time</b>	Surface dry <30 minutes, hard dry <3 hours
<b>Color range</b>	Available in a wide range of colours.
<b>Spreading rate per coat</b>	Up to 10-12 M <sup>2</sup> per litre depending on the nature of the surface and wastage during application.
<b>Surface Preparation</b>	<b>New (un-weathered) Galvanized Surfaces:</b> Allow to etch by weather for 6 months or apply appropriate primer. After the surface is pleasantly weathered or primed, apply 1-2 coats of Hermosa Roof Paint allowing drying between coats. <b>Previously Painted Surfaces:</b> Remove all loose flaking paint, apply 1-2 coats of Hermosa Roof Paint allowing drying between coats.
<b>Storage</b>	Store in a cool dry place at average room temperatures.

Hermosa Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.

☎ Mobile: 0794 899 999

☎ Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com

📍 Location : HighPort Properties, Road C Industrial area.

🌐 Website: www.hermosapaints.com



# Hermosa ROOF PAINT

Technical Data Sheet



## Disclaimer

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by Hermosa paints. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Hermosa paints representative to obtain the most recent Product Data Information

**Hermosa Paints Limited**

✉ P.O Box: 78895-00507, Nairobi Kenya.

📞 Mobile: 0794 899 999

📞 Customer care: 0759 111 333

✉ Email: [sales@hermosapaints.com](mailto:sales@hermosapaints.com)

📍 Location : HighPort Properties, Road C Industrial area.

🌐 Website: [www.hermosapaints.com](http://www.hermosapaints.com)



# *Unleashing Colours, Brightening Lives*

## **Hermosa Paints Limited**

- ✉ P.O Box: 78895-00507, Nairobi Kenya.
- 📞 Mobile: 0794 899 999
- 📞 Customer care: 0759 111 333
- ✉ Email: [sales@hermosapaints.com](mailto:sales@hermosapaints.com)
- 📍 Location : HighPort Properties,  
Road C Industrial area.
- 🌐 Website: [www.hermosapaints.com](http://www.hermosapaints.com)

