



Herмоса Luxury Satin

Technical Data Sheet



Hermosa Luxury Satin

Technical Data Sheet



General Product Description

Hermosa Luxury Satin Emulsion is a high-quality interior product specially designed to transform homes and commercial spaces. Its satin finish gives beauty with a whole new purpose while imparting a loyal glow to your indoors. With anti-microbial properties, this paint provides high level of hygiene throughout their life keeping bacterial and germs at bay.

Recommended application: Living rooms, dining rooms, bedrooms, kitchens, bathrooms, commercial buildings and high traffic areas.

Features & Benefits

- Soft subtle feel.
- Excellent hiding.
- Superior Washability.
- Low VOC
- Easy application.
- Highly durable.
- Moisture resistant.

Product Information

Technical Data

Finish	Smooth Satin finish.
Spread Rate per coat	10-12 m ² /L, depending on film thickness, surface texture and porosity.
Drying time	30 to 45mins. Re-coatable after 4 hours
Application Tools	By Brush, Rollers, airless Spray
Thinning	Thin with clean water. Avoid overthinning as this will affect the opacity and hiding. Always stir well before and during use.
Color Range	Available in a wide range of colors. Special colors can be made on request.
Cleaning	Clean with water after use.
Pack sizes	1ltr, 4 ltrs, 20 ltrs
Technical Assistance:	If in doubt please contact our Technical department
Surface preparation	<p>For new unpainted surfaces: prepare the surface appropriately. Apply 1 coat of Hermosa Acrylic Sealer Undercoat. Apply 2-3 coats Hermosa Silk Vinyl Emulsion. Previously Painted Surfaces in Sound Condition: Prepare the surface appropriately. Apply 2-3 coats Hermosa Silk Vinyl Emulsion.</p> <p>Previously Painted Surfaces in Poor condition: thoroughly remove all loose, flaking and powdery paint down to the original substrate. Apply Hermosa Acrylic Sealer Undercoat. Apply 2-3 coats Hermosa Silk Vinyl Emulsion.</p>

Hermosa Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.
📱 Mobile: 0794 899 999
📞 Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com
📍 Location : HighPort Properties, Road C Industrial area.
🌐 Website: www.hermosapaints.com



Hermosa Luxury Satin

Technical Data Sheet



Technical Data

Application	<ul style="list-style-type: none">• Stir thoroughly before and during use• Always use good quality brush or roller• Try to paint in one motion especially when using a brush• Always pre-test on a small area first
Storage	Store in a cool dry place at average room temperatures.

Disclaimer

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by Hermosa paints. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Hermosa paints representative to obtain the most recent Product Data Information

Herмоса Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.

☎ Mobile: 0794 899 999

☎ Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com

📍 Location : HighPort Properties, Road C Industrial area.

🌐 Website: www.hermosapaints.com



Unleashing Colours, Brightening Lives

Hermosa Paints Limited

- 📍 P.O Box: 78895-00507, Nairobi Kenya.
- 📞 Mobile: 0794 899 999
- 📞 Customer care: 0759 111 333
- ✉ Email: sales@hermosapaints.com
- 📍 Location : HighPort Properties,
Road C Industrial area.
- 🌐 Website: www.hermosapaints.com

