



Unleashing Colours, Brightening Lives



Herмоса Super Gloss Enamel

Technical Data Sheet



Hermosa Super Gloss Enamel

Technical Data Sheet



General Product Description

Hermosa Super Gloss Enamel is superior paint specially formulated to provide excellent gloss and maximum colour retention. It is suitable for surfaces such as metals, wood or plaster.

Benefits & features:

- Ideal for interior and exterior surfaces.
- Very tough and washable finish.
- Good gloss retention.
- Flexible and excellent durability.

Product Information

Technical Data	
Finish	High gloss.
Application:	Apply by brush, roller or airless spray.
Thinning & Equipment Cleaner	Hermosa white spirit.
Drying Times	surface dry <4 hours, hard dry <16 hours.
Spreading Capacity per Coat	13-15M ² per liter depending on DFT, surface texture and porosity.
Color range	Available in a wide range of colors from Hermosa Color Chart and Tinting System.
Surface preparation	Remove any loose and flaking materials, repair cracks and level the surface. Clean substrates, ensure they are dry and free from dust. Apply one coat of appropriate primer, Apply one coat of Hermosa Universal Undercoat and 1-2 coats of Hermosa Super Gloss Paint.
Pack sizes	1ltr, 4 ltrs, 20 ltrs
Storage	Store in a cool dry place at average room temperatures.

For health and safety information, please refer to our Product Material Safety Data Sheet.



Hermosa Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.
📱 Mobile: 0794 899 999
🗨 Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com
📍 Location : HighPort Properties, Road C Industrial area.
🌐 Website: www.hermosapaints.com



Hermosa Super Gloss Enamel

Technical Data Sheet



Disclaimer

The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by Hermosa paints. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Hermosa paints representative to obtain the most recent Product Data Information



Hermosa Paints Limited

☎ P.O Box: 78895-00507, Nairobi Kenya.
📱 Mobile: 0794 899 999
🗨 Customer care: 0759 111 333

✉ Email: sales@hermosapaints.com
📍 Location : HighPort Properties, Road C Industrial area.
🌐 Website: www.hermosapaints.com



Unleashing Colours, Brightening Lives

Hermosa Paints Limited

- ✉ P.O Box: 78895-00507, Nairobi Kenya.
- 📞 Mobile: 0794 899 999
- 📞 Customer care: 0759 111 333
- ✉ Email: sales@hermosapaints.com
- 📍 Location : HighPort Properties,
Road C Industrial area.
- 🌐 Website: www.hermosapaints.com

